




www.woolyarns.com.cn

美在每一线  
BEAUTY IS IN EVERY YARN  
优质地毯纱线供应商

浙江百盛实业有限公司  
ZHEJIANG BAISHENG INDUSTRIAL CO., LTD

总部: 浙江省临海市临海大道东港中路17号  
生产基地: 浙江省临海市邵家渡街道牛头山度假村  
电话: 0576-85076690 (国内羊毛纱 domestic) 85076681 (国内麻线、麻绳 domestic) 86-576-85076687 (international)  
传真: 0576-85076665  
邮件: baishengmarketing@woolyarns.com.cn (purchase) baishengsales02@woolyarns.com.cn (sales)  
网址: www.woolyarns.com.cn (羊毛纱) www.bhmfz.com (麻线 麻绳)





美在每一线, 做好每一线

专注品质纱线20年 / 品质超越一切  
Professional Casts Success, Professional Casts Brand

## BEAUTY OF “ZONGEENT” YARN IN EVERY SINGLE YARN

- Ⓐ 纱线蓬松度好, 可实现地毯单位面积纱线用量减少5%-10%
- Ⓑ 条竿均匀, 和毛均匀, 无色差, 接头少, 可提高制成率5%-10%。
- Ⓒ 使地毯毯面效果丰满、回弹性好、颗粒状硬挺。地毯提高一个档次。
- Ⓓ 严格按照国家轻纺羊毛纱QB/T2518-2001地毯纱标准供应, 确保质量指标必须高于国标方可出厂销售。

- Ⓐ Better bulking, reducing the amount of yarn in the unit area of the carpet by 5%-10%
- Ⓑ Better evenness, blending uniform, no color difference, less knots, reducing wastage by improving the yield of 5%-10%.
- Ⓒ Make carpet surface fullness, good bulking, excellent appearance retention, carpet raise another grade.
- Ⓓ Strictly supplied in accordance with the national standard for QB/T2518-2001 carpet yarn of textile wool yarn, We ensure the yarn can only be sold when quality index higher than the national standard.



## COMPANY BRIEF INTRODUCTION

### 公司简介 | +

浙江百盛实业有限公司是一家专业生产各种高档羊毛地毯纱、麻线、麻绳等环保材料的大型生产型企业。公司成立于1998年，占地面积8万多平方米。自成立以来，连续被评为临海市工业十佳企业、重点骨干企业、纳税超千万企业、临海市百强企业、高新技术企业等优秀企业称号。

“众锦泰”纱线，美在美一线，一直是我们百盛人多年来的追求。公司引进德国、意大利全套地毯粗纺设备，秉承欧洲先进的高档地毯纱生产技术，使纱线蓬松度好、条干均匀，制成地毯的毯面效果丰满、回弹性好、颗粒状硬挺。

目前“众锦泰”纱线已经遍布全球，成为多家阿克明和手工地毯品牌地毯指定供应商，得到一致好评。主要客户代表为：浙美地毯、江苏开利、滨洲东方、海马、东升、亚历山大、阳鑫瑞鑫集团等。百盛热忱欢迎您的参观指导洽谈！

Zhejiang Baisheng Industrial Co., Ltd. founded in 1998 with its registered capital of 6.78 million dollars covering an area of 80000 square meters, is one of Chinese largest manufacturers of carpet woollen yarn, jute yarn and natural fiber ropes. The company is fully integrated Italy and German carpet spinning unit.


We make carpet yarns in a count range of 0.4Nm (2500TEX) to 5.5Nm (181TEX) in single ply or multi ply as required by the client, specially suitable for hand-tufted carpet and Axminster Carpet. We mainly use the best carpet grade wool, like NZ wool, UK wool and US 66 nylon etc to make our yarns.

We devote ourselves to innovation technique to improve the quality of the products. Our carpet yarn with good evenness, bulking and bright white color, which ensures your carpet with good performance of stiffness, resilient and elegant styles, meet advanced international carpet yarn standards.

Our carpet yarn mainly supply to famous brands of ZHEMEI Carpet, Kaili Carpet, COC Carpet, HAIMA Carpet, Dongsheng Carpet, Alexander Carpet, Yangxin Ruixin Group etc, and they award us as a good and reliable supplier.

Beauty in every yarn is our motto. Nowadays ZONGEENT (our trademark) entering the society and market widely accompany your attention step by step and look forward to your care for and more cooperation

## DEVELOPMENT HISTORY 发展历程 | ①





## EXCELLENT EQUIPMENT FOR YARN BETTER QUALITY

### 精良设备 只为纱线更好品质 精准配备 让每一线优越而生

专注纱线20年, 让每一线和时光 越来越明亮  
Focus on yarn for 20 years, making each line and time brighter



众锦泰定位高端路线, 以“做好每一线, 为客户呈现最美纱线”为全体员工的工作宗旨, 高标准高要求, 从每个环节保证品质。

Positioning the high-end line, “do the best yarn for all customers” is the purpose of our staff. We insist on high standard and demand to ensure the quality for every link.



## BLENDING & OILING PLANT 和毛系统 | ①

源自意大利Tecnomeccanica公司,采用横铺直取方式、自动三次混合最大限度的确保原料混合均匀;带凝毛器,减少羊毛纤维的离散度;毛仓可容纳每批6.5吨,避免纱线色差。

Origin: Italy Tecnomeccanica

Feathers: Horizontal paving mixing and vertical fetching raw material, three times in the pipeline to ensure the uniformity of the mixed materials.

**Advantage: One batch 6.5 tons no color difference, wool condenser reduce the dispersion of wool fibers.**



## CARDING SYSTEM 梳毛系统 | ②

源自意大利瑞米拉公司,3米幅宽三梳理组锡林,带有除杂棍,电子秤料斗,私服电机自动调节喂入系统。能够除去原料中残留的草杂等软杂质,提高纱线支数的稳定。

Origin: Italy RAMELLA

Feathers: w.w. 3000mm width, with 3 carding groups, with underground board auto band feed, load cell hopper scale weight hopper, private servo motor automatically adjusts feeding system to ensure product quality.

**Advantage: Yarn more clean, better count CV, less hairy**





## SPINNING SYSTEM 纺纱系统 | 📌

源自意大利高蒂诺公司, 采用140纲领的环锭纺纱机, 使用大卷装以减少纱线接头, 提高纱线的使用效率。

Original: Italy Gaudino spinning

Feathers: Ring dia. 140 good condition management

**Advantages: Yarn less knots, better uniform, higher efficiency use for carpet mill**



## WINDING MACHINE 络筒机 | 📌

源自德国美雅的自动络筒机, 采用自动洛非电清, 自动气流捻接, 去除条干问题纱线, 最大卷装可达8公斤, 达到大卷装低接头的用纱目的。

Origin: Germany Karl Meyer

Feathers: USTER cleaning unit to cut the worse uniform yarn, and automatic knots joint

**Advantages: Yarn better uniform, 8kgs per spool no knots, higher efficiency use for carpet mill**





## DOUBLE TWISTING MACHINE 倍捻机 | ④

源自德国全新VOLKMAN(福克曼)倍捻机,具有超喂装置,减少纱的张力,使纱线的回弹性好。具有捻度均匀、高速、卷装大、浪费少等显著优点。

Origin: Germany VOLKMAN

Features: Digital control, with a super feeding device and anti-wrap collar to avoid yarn wraps around the whirl in case the yarn ends down.


Advantages: Yarn with good evenness twists, less tension and better elasticity



优质地毯纱线供应商  
www.woolyarns.com.cn

# 做好每一线

BEAUTY IS IN EVERY YARN  
优质地毯纱线供应商






## METICULOUS MANAGEMENT

WHOLEHEARTEDLY IN EVERY DETAIL

### 实行精细管控 精准精细精确每一个环节

重视环节来源，尽心尽力全在每一个细节 | 



## 1 STRICT PURCHASE OF RAW MATERIAL CHANNEL

### 严把原料采购关

原料是纱线品质的第一保证，我们主要采用新西兰、英国地毯活剪羊毛、美国首诺尼龙为主料，严格控制原料的细度、白度、长度、草杂、弹性、亮度等，每个原料都有稳定的采购渠道和严格的采购标准，确保纱线品质的稳定性。

Quality material is the first guarantor to the best yarn. We mainly use best New Zealand and UK living shears wool, US ascend nylon 66 etc. We know each material advantages and short comings, and know how to use each material to make suitable yarns for different carpet designs, also give our professional suggestions to the customers to help their carpet more beautiful for market development.

## 2 ATTENTION TO THE R&D

### 重视产品研发力度

专业研发小组，从各种纺织原料的特性出发，并以市场为导向，开发各种适合客户的中高端产品，并得到客户的高度认可（如0.9支纱、弯头纱、彩点纱等）

20 years spinning experience, a professional term of R&D, we source from the characteristics of all kinds of textile raw materials, its characteristics are fully used, and guided by the market, we are making the common items with our better special advantages, also have developed various products suitable for high-end carpet customers (such as the 0.9NM-1100TEX/1 woolen yarn, frieze yarn, color speck yarn etc.)

## 3 PROFESSIONAL TEAM

### 专业化的团队

百盛坚持“诚信”为本，“质量”为命。“做好每一根线，永远为客户呈现最美纱线”是我们不断的追求。一个月两次的销售团队培训、员工操作培训和管理人员培训，使诚信和质量深入每个员工心里，确保高品质和高服务。

Baisheng people adhere to the "integrity and quality". "Make perfect yarn for all customers" is our constant pursuit. We also have sales and operation training as well as management training twice a month, to ensure high quality and good services for you.



## QUALITY PRODUCTS


### 品质纱线 |

#### 主打产品之一：地毯羊毛纱

按用途主要分为手工地毯用纱和机制地毯用纱，我们手工地毯用纱具体如下：

#### ONE OF OUR MAIN PRODUCTS: CARPET WOOLLEN YARN

According to the purpose, it is divided into hand-tufted carpet yarn and mechanism carpet yarn (mainly for Axminster and Wilton carpet yarn), and our hand-tufted carpet yarns are as follows:



### 品名：纯羊毛纱 | PURE WOOL YARN |

原料：采用100%新毛、国毛或欧毛生产。

规格：0.9-5.5NM，常规产品如2.6NM/1等。

2.6支全新毛手工纱，用3/5英寸，负白度新毛生产，确保色泽鲜亮，草杂少。一直是公司主导热销产品，常年供应品牌地毯厂，成为多家品牌地毯厂独家供应商。

Material: 100% New Zealand wool, Chinese wool or Euro wool.

Specifications: 1100tex-181tex, such as 380TEX/1, 560TEX/2, 1100tex/1.

100% New Zealand wool 380/1 yarn made up of 100% 3/5" Y-Z 0 max color, vm0.1% max wool, is the most popular and hot sale item in our factory, supplying to many famous brand carpet mills, and we are the exclusive supplier of many brands carpets.

### 羊毛+可染涤混纺纱线 | WOOL / PET BLENDING YARN |

原料：采用新西兰毛、国毛或欧毛与可染涤纶混合生产

规格：0.9-5.5NM，常规产品如2.6NM/1 70%新毛+30%可染涤等配比，可根据客户要求定做。常规37新毛可染涤配比纱，既保留了新西兰毛色泽鲜亮特色，又增加了地毯耐磨性，而且比全新毛更便宜。

Material: normally use New Zealand wool, Chinese wool or Euro wool, blending with PET

Specifications: 1100tex-181tex, 380tex/1ply 70% NZ wool + 30% PET hot sale. Yarn looks more beautiful than 100% NZ wool with much cheaper price, elegant color and better abrasion resistance.



### 羊毛+尼龙混纺纱线 | WOOL / NYLON BLENDING YARN

原料：采用新西兰毛、国毛或欧毛与美国进口尼龙66混合生产。

规格：0.9-5.5NM，常规产品如2.6NM/1 80%新毛+20%尼龙等配比，可根据客户要求定做。

Material: NZ wool, Chinese wool or Euro wool, mixing with US Ascend Nylon 66 staple  
Specifications: 1100tex-181tex, 380tex/1ply 80% NZ wool + 20% Nylon hot sale.  
Yarn looks more beautiful than 100% NZ wool but better abrasion resistance.



### 多种羊毛+化纤混纺纱线 | DIFFERENT TYPES OF WOOL + CHEMICAL FIBER BLENDING YARN

原料：百盛团队深知各种羊毛和化纤的特性，充分利用各自的优点，规避缺点，使羊毛纱线呈现完美个性。如采用色泽鲜亮的新西兰毛，搭配一定比例的高蓬松度的英国毛和耐磨性能好的尼龙/可染漆生产适合的手工纱。

规格：0.9-5.5NM，常规产品如2.6NM/1 3.0\*2, 40%新毛+30%英毛+30%可染漆等配比深受客户喜爱。

Material: use each wool advantage and avoid disadvantage to make different yarn.

Specifications: 1100tex-181tex,

Popular item 380tex/1ply 40% NZ wool +30% UK Wool+30% PET hot sale, fine elasticity, elegant color and better abrasion resistance




### 定做其他特色手工纱产品 | OTHER HAND-MADE CARPET YARN

如：0.9支全新毛手工纱、弯头纱2.6\*2全新毛手工纱、彩点纱、新毛+天丝混纺手工纱、牦牛毛纱等可根据客户要求订做。

Such as: 1100tex single yarn made up of 100% NZ wool、Frieze wool yarn 760tex/2ply Color、speck yarn、Tencent +NZ wool blending yarn、Yak hair yarn etc.



机制地毯纱适合阿克明、威尔顿地毯，主要有： | 

**OUR MACHINES ARE EUROPEAN ORIGINAL,  
VERY SPECIALLY SUITABLE FOR AXMINSTER AND WILTON CARPET YARN**

品名：羊毛尼龙混纺纱

原料：新毛、英毛、国毛、欧毛、美国尼龙66等

规格：0.9-8.0NM。常规如：3322, 442配比的2.75NM/2, 3.0NM/2, 4.2NM/3等。定做其他规格和配比沙。


Item: Wool/nylon blending yarn

Specifications: 2.75NM/2, 3.0NM/2, 4.2NM/3, and other types which can be made according to our buyer's requirements.

Popular compositions are 3322 (30%NZ wool +30%UK wool+20% Chinese wool+20% US nylon 66) or 442(40%NZ wool +40% UK wool +20% US nylon 66)



地毯产品运用图片范例 | CARPET SAMPLES MADE BY OUR YARN | 



主打产品之二：黄麻纱线 | SECOND MAIN PRODUCTS: JUTE YARN | 

**1 原料：100%孟加拉国黄麻生产**  
Material: made up of 100% Bangladesh Raw Jute

黄麻纱线是所有天然植物纤维纱线中，最经济实惠、可纺性能好、用途最广泛的纺织品。受纬度和气候影响，孟加拉国是世界第二大黄麻原料产国和第一大黄麻纱线出口国。

我公司自1998年创办麻纺厂以来，一直专注于品质和技术的研究，始终走在行业的前端。公司2005年开始直接从孟加拉进口原料生产纱线，2009年公司被认定为浙江省高新技术企业；2011年与孟加拉两个麻纺厂进行战略股份投资，建立两个专业麻线生产基地，常年直供孟加拉麻线。目前年销售麻线上万吨。

Bangladesh supplies the best raw jute and jute yarn to the world. Our jute spinning mill established in 1998, focusing on quality and technical, as been the leading company in jute line. Awarded as the province high-tech enterprise in 2009; Established joint venture in Bangladesh with two yarn mills in 2011. Supplying over 10000tons of yarn per year.



**2 特性：**  
Characteristic:

天然、环保、吸湿、自然降解、仿古等特性，是所有麻类纤维中最经济实惠的产品，运用范围非常广泛。With the characteristics of natural, environmental protection, hygroscopic and antique, the jute yarn is one of the most economical products widely used in many industrial areas.

**3 常用规格：**  
Common items:

0.8支-6.0支单纱和股线  
36LBS-4.2LBS single and multi ply

- 4 品质级别:**  
**Quality grades:**  
麻袋级、海生级、CB普通地毯级、CRM、CRX、CRT  
Sacking, hessian, CB carpet backing, CRM, CRX, CRT

- 5 麻线麻绳用途:**  
**Usage of jute yarn and ropes**  
由于其天然环保特性,被广泛运用于:地毯、织布、电线电缆、钢丝绳、工艺品、装饰、草席、绿化、包装、捆扎、宠物用品、鞋材等行业。

- 6 麻线在各行业的运用要求和规格:**  
**Special requirements for jute yarn using in different area:**

**6.1, 地毯纱线**  
**CARPET BACKING JUTE YARN**

常用规格:常规16磅单纱和股线,11磅单纱 CB级,CRM级,8磅单纱和2股 CRM等等。  
一般特点:支数标准、条干均匀、毛羽少、强力好、大喇叭纸管,托盘包装。

**6.2, 织布纱线**  
**WOVEN YARN**

常用规格:常规8磅单纱(4.2单纱)CB,CRM级;10磅单纱(3.2单纱)海生级等等  
一般特点:8磅单纱要求纱支标准或标准偏细,无麻皮(指麻皮少)、条干均匀、毛羽少、颜色淡黄或红色(根据客户要求)、亮泽好、托盘装。10磅单纱要求纱支标准或标准偏细,无麻皮、条干均匀、毛羽少、托盘装。

**6.3, 无接头电线电缆填充麻线 (可适应于草席、工艺品、包装捆扎、装饰、宠物用品等)**  
**NO KNOTS JUTE YARN FOR CABLE WIRE**

主要用于填充橡胶类电缆,比电缆里面铜丝便宜很多,而且能使电缆看上去更圆整,且更有韧性,被电缆企业大大使用。是公司主导和首推产品。因我公司技术上的无接头麻线,不仅避免了电缆因为接头过大造成的电缆爆破损失,客户使用时也不需要重新倒纱接头,也为客户在生产电缆过程中大大节省了成本,因此公司无接头电缆麻线被国内众多知名电缆企业定点采购。

常规规格:一般用支数称呼,主要有1.5\*3\*4\*5股,1.8~2.0\*3\*4\*5股,2.5~3.1\*2\*3\*4\*5股,一般是海生级和CB级  
主要特点:麻皮少,条干好,接头牢,最好无接头,无多股少股现象。

**6.4, 钢丝绳填充麻线、制绳麻线**  
**JUTE YARN FOR WIRE FILLING AND ROPES**

常规产品:28磅单纱麻袋级为主。  
主要特点:品质方面是所有行业中对麻线品质最无要求的,麻皮一般比较多,条干也不好,麻袋级可。也有部分上市企业对品质要求比较高,需要用到没有麻皮的麻线即海生级。

**6.5, 鞋材、工艺品等用线**  
**SHOES AND HANDICRAFT JUTE YARN**

常规产品:34磅-38磅白线单纱海生或CB级,9磅2股3股白线红线CB级,28-38磅单纱麻袋级(行业里叫里线或黑线),3.1两股白线红线海生或CB级等。  
主要特点:白线要求颜色要比较白、亮、毛羽少,颜色统一,不能有花色杂色,条干要好。黑线采用塞青级。公司黑白鞋材、工艺品用线在市场上因色白亮,享有很高声誉,深受客户青睐。





### 主打产品之三:各种纯天然植物纤维绳子,如黄麻绳、棉绳、剑麻绳等 |

#### THE THIRD MAIN PRODUCTS: ALL KINDS OF PURE NATURAL PLANT FIBER ROPES SUCH AS JUTE ROPE, COTTON ROPE AND SISAL ROPE

##### 公司天然纤维绳子的优势: ADVANTAGES TO CHOOICE OUR ROPES:

1. 起源和品质:自2005年,应俄罗斯客户的需求,购进全套高端制绳设备,以俄罗斯市场滑雪、吊揽等工业高标准要求为品质标准,多次得到俄罗斯客户技术上亲自指导,品质远远高于国内同行标准,完全杜绝多少股、跳股等现象。
2. 定位:专做高端品质,满足国内外工艺品、电梯、宠物用品等要求。
3. 价格:从源头采购原料,尤其是自供黄麻纱线制绳,减少中间环节,让利给客户。

1. Origin and quality: Rope project started at the request of Russia friend for purpose of skiing and hoisting, which require very high quality. And under time to time supervision and guidance from the Russia friend face to face, now our quality standard is much higher than state standard. Ensure you no knots, no jumping strands, good uniform.
2. Position: High-end Quality, to meet the requirements of handicraft, elevator, pets production etc.
3. Price: We are maximum reducing the intermediate links cost, giving profit to customers by sourcing the raw material from directly line, especially for jute ropes.

规格:直径2-25毫米,3大股绳

用途:包装、捆扎、装饰、宠物用品、工艺品等

特点:天然环保,可染色

Specifications: Ø2-25mm, 3 strands

Usages: Packing, decoration, Pets products, handicrafts etc.

Features: Natural environmental protection, dye-able.

